

Noir
12/8/12 9:47 AM

Hardware:

Hardware Overview:

Model Name: MacBook
Model Identifier: MacBook1,1
Processor Name: Intel Core Duo
Processor Speed: 2 GHz
Number Of Processors: 1
Total Number Of Cores: 2
L2 Cache: 2 MB
Memory: 2 GB
Bus Speed: 667 MHz
Boot ROM Version: MB11.0061.B03
SMC Version (system): 1.4f12
Serial Number (system): RM7044DTVMM
Hardware UUID: 00000000-0000-1000-8000-0016CBA47209
Sudden Motion Sensor:
State: Enabled

Network:

Bluetooth DUN:

Type: PPP (PPPSerial)
Hardware: Modem
BSD Device Name: Bluetooth-Modem
IPv4:
Configuration Method: PPP
IPv6:
Configuration Method: Automatic
Proxies:
FTP Passive Mode: Yes
Service Order: 0

AirPort:

Type: AirPort
Hardware: AirPort
BSD Device Name: en1
IPv4 Addresses: 192.168.200.201
IPv4:
Addresses: 192.168.200.201

Configuration Method: Manual
Interface Name: en1
Network Signature:
IPv4.Router=192.168.200.1;IPv4.RouterHardwareAddress=00:0f:66:01:a5:c9
Router: 192.168.200.1
Subnet Masks: 255.255.255.0
DNS:
Search Domains:
Server Addresses: 66.75.160.63, 66.75.160.64, 68.94.156.1, 208.67.222.222, 208.67.222.220
Ethernet:
MAC Address: 00:16:cb:b8:02:e9
Media Options:
Media Subtype: Auto Select
Proxies:
Exceptions List: *.local, 169.254/16
FTP Passive Mode: Yes
Service Order: 1

Software:

System Software Overview:

System Version: Mac OS X 10.6.8 (10K549)
Kernel Version: Darwin 10.8.0
Boot Volume: MACOS
Boot Mode: Normal
Computer Name: Noir
User Name: rob (rob)
Secure Virtual Memory: Enabled
64-bit Kernel and Extensions: No
Time since boot: 16:02

ATA:

ATA Bus:

MATSHITADVD-R UJ-857:

Model: MATSHITADVD-R UJ-857
Revision: HBEA
Serial Number:
Detachable Drive: No
Protocol: ATAPI
Unit Number: 0
Socket Type: Internal
Low Power Polling: Yes

Power Off: Yes

Audio (Built In):

Intel High Definition Audio:

Audio ID: 10

Headphone:

Connection: Combination Output

Internal Microphone:

Connection: Internal

Speaker:

Connection: Internal

Line Input:

Connection: Combination Input

S/PDIF Optical Digital Audio Output:

Connection: Combination Output

S/PDIF Optical Digital Audio Input:

Connection: Combination Input

Bluetooth:

Apple Bluetooth Software Version: 2.4.5f3

Hardware Settings:

Address: 00-16-CB-14-E8-6E
Manufacturer: Cambridge Silicon Radio
Firmware Version: v1965
Bluetooth Power: Off
Discoverable: Yes
Vendor ID: 0x5ac
Product ID: 0x8205
HCI Version: 3 (0x3)
HCI Revision: 1965 (0x7ad)
LMP Version: 3 (0x3)
LMP Subversion: 1965 (0x7ad)
Requires Authentication: No

Services:

Bluetooth File Transfer:

Folder other devices can browse: ~/Public
Requires Authentication: Yes
State: Enabled

Bluetooth File Exchange:

Folder for accepted items: ~/Documents
Requires Authentication: No
When other items are accepted: Ask
When PIM items are accepted: Ask
When receiving items: Prompt for each file
State: Enabled

Devices (Paired, Favorites, etc):

Incoming Serial Ports:

Serial Port 1:
Name: Bluetooth-PDA-Sync
RFCOMM Channel: 3
Requires Authentication: No

Outgoing Serial Ports:

Serial Port 1:
Address:
Name: Bluetooth-Modem
RFCOMM Channel: 0
Requires Authentication: No

Diagnostics:

Power On Self-Test:

Last Run: 12/7/12 5:45 PM
Result: Passed

Disc Burning:

MATSHITA DVD-R UJ-857:

Firmware Revision: HBEA
Interconnect: ATAPI
Burn Support: Yes (Apple Shipping Drive)
Cache: 2048 KB
Reads DVD: Yes
CD-Write: -R, -RW
DVD-Write: -R, -RW, +R, +RW
Write Strategies: CD-TAO, CD-SAO, DVD-DAO
Media: To show the available burn speeds, insert a disc and choose View > Refresh

Ethernet Cards:

Marvell Yukon Gigabit Adapter 88E8053 Singleport Copper SA:

Name: ethernet
Type: Ethernet Controller
Bus: PCI
Vendor ID: 0x11ab
Device ID: 0x4362
Subsystem Vendor ID: 0x11ab
Subsystem ID: 0x5321
Revision ID: 0x0022
Link Width: x1
BSD name: en0
Kext name: AppleYukon2.kext
Location: /System/Library/Extensions/
IONetworkingFamily.kext/Contents/PlugIns/
AppleYukon2.kext

Version: 3.2.1b1

ethernet:

Type: Ethernet Controller
Bus: PCI
Slot: AirPort
Vendor ID: 0x168c
Device ID: 0x001c
Subsystem Vendor ID: 0x106b
Subsystem ID: 0x0086
Revision ID: 0x0001
Link Width: x1
BSD name: en1
Kext name: AirPortAtheros21.kext
Location: /System/Library/Extensions/
IO80211Family.kext/Contents/PlugIns/
AirPortAtheros21.kext

Version: 425.14.7

FireWire:

FireWire Bus:

Maximum Speed: Up to 400 Mb/sec

Graphics/Displays:

Intel GMA 950:

Chipset Model: GMA 950
Type: GPU
Bus: Built-In
VRAM (Total): 64 MB of Shared System Memory
Vendor: Intel (0x8086)
Device ID: 0x27a2
Revision ID: 0x0003
Displays:

Color LCD:

Resolution: 1024 x 768
Pixel Depth: 32-Bit Color (ARGB8888)
Mirror: Off
Online: Yes
Built-In: Yes

Memory:

Memory Slots:

ECC: Disabled

BANK 0/DIMM0:

Size: 1 GB
Type: DDR2 SDRAM
Speed: 667 MHz
Status: OK
Manufacturer: 0x7F98000000000000
Part Number: 0x393955353239352D3030382E4230304C460
0
Serial Number: 0x0B1D391C

BANK 1/DIMM1:

Size: 1 GB
Type: DDR2 SDRAM
Speed: 667 MHz
Status: OK
Manufacturer: 0x7F98000000000000
Part Number: 0x393955353239352D3030382E4230304C460
0
Serial Number: 0x021CA3FC

Power:

Battery Information:

Model Information:
Manufacturer: DP
Device name: ASMB013
Pack Lot Code: 0001
PCB Lot Code: 0000
Firmware Version: 0102
Hardware Revision: 0300
Cell Revision: 0100

Charge Information:
Charge remaining (mAh): 4997
Fully charged: Yes
Charging: No
Full charge capacity (mAh): 5163

Health Information:
Cycle count: 369
Condition: Normal
Battery Installed: Yes
Amperage (mA): 0
Voltage (mV): 12448

System Power Settings:

AC Power:
System Sleep Timer (Minutes): 120
Disk Sleep Timer (Minutes): 10
Display Sleep Timer (Minutes): 30
Automatic Restart On Power Loss: No
Wake On AC Change: No
Wake On Clamshell Open: Yes
Wake On LAN: No
Current Power Source: Yes
Display Sleep Uses Dim: No

Battery Power:
System Sleep Timer (Minutes): 10
Disk Sleep Timer (Minutes): 10
Display Sleep Timer (Minutes): 2
Wake On AC Change: No
Wake On Clamshell Open: Yes
Display Sleep Uses Dim: Yes
Reduce Brightness: Yes

Hardware Configuration:

UPS Installed: No

AC Charger Information:

Connected: Yes

ID: 0x0100
Wattage (W): 60
Revision: 0x0000
Family: 0x00ba
Serial Number: 0x005ed68b
Charging: No

Serial-ATA:

Intel ICH7-M AHCI:

Vendor: Intel
Product: ICH7-M AHCI
Link Speed: 1.5 Gigabit
Negotiated Link Speed: 1.5 Gigabit
Description: AHCI Version 1.10 Supported

ST9500420AS:

Capacity: 500.11 GB (500,107,862,016 bytes)
Model: ST9500420AS
Revision: 0002SDM1
Serial Number: 5VJ8AJV8
Native Command Queuing: Yes
Queue Depth: 32
Removable Media: No
Detachable Drive: No
BSD Name: disk0
Rotational Rate: 7200
Medium Type: Rotational
Partition Map Type: GPT (GUID Partition Table)
S.M.A.R.T. status: Verified

Volumes:
Capacity: 209.7 MB (209,715,200 bytes)
Writable: Yes
BSD Name: disk0s1

MACOS:

Capacity: 472.45 GB (472,446,402,560 bytes)
Available: 297.41 GB (297,407,496,192 bytes)
Writable: Yes
File System: Journaled HFS+
BSD Name: disk0s2
Mount Point: /

BOOTCAMP:

Capacity: 27.32 GB (27,316,453,376 bytes)
Writable: Yes
File System: MS-DOS
BSD Name: disk0s3

Thunderbolt:

Thunderbolt: No hardware was found.

USB:

USB High-Speed Bus:

Host Controller Location: Built-in USB
Host Controller Driver: AppleUSBHCI
PCI Device ID: 0x27cc
PCI Revision ID: 0x0002
PCI Vendor ID: 0x8086
Bus Number: 0xfd

Built-in iSight:

Product ID: 0x8501
Vendor ID: 0x05ac (Apple Inc.)
Version: 1.89
Speed: Up to 480 Mb/sec
Manufacturer: Micron
Location ID: 0xfd400000 / 3
Current Available (mA): 500
Current Required (mA): 100

USB Bus:

Host Controller Location: Built-in USB
Host Controller Driver: AppleUSBHCI
PCI Device ID: 0x27ca
PCI Revision ID: 0x0002
PCI Vendor ID: 0x8086
Bus Number: 0x5d

IR Receiver:

Product ID: 0x8240
Vendor ID: 0x05ac (Apple Inc.)
Version: 1.10
Speed: Up to 12 Mb/sec
Manufacturer: Apple Computer, Inc.
Location ID: 0x5d200000 / 2
Current Available (mA): 500
Current Required (mA): 100

USB Bus:

Host Controller Location: Built-in USB
Host Controller Driver: AppleUSBHCI
PCI Device ID: 0x27cb
PCI Revision ID: 0x0002
PCI Vendor ID: 0x8086
Bus Number: 0x7d

Bluetooth USB Host Controller:

Product ID: 0x8205
Vendor ID: 0x05ac (Apple Inc.)
Version: 19.65
Speed: Up to 12 Mb/sec
Manufacturer: Apple Inc.
Location ID: 0x7d100000 / 2
Current Available (mA): 500
Current Required (mA): 0

USB Bus:

Host Controller Location: Built-in USB
Host Controller Driver: AppleUSBHCI
PCI Device ID: 0x27c8
PCI Revision ID: 0x0002
PCI Vendor ID: 0x8086
Bus Number: 0x1d

Apple Internal Keyboard / Trackpad:

Product ID: 0x0217
Vendor ID: 0x05ac (Apple Inc.)
Version: 0.64
Speed: Up to 12 Mb/sec
Manufacturer: Apple Computer
Location ID: 0x1d200000 / 3
Current Available (mA): 500
Current Required (mA): 40

USB Bus:

Host Controller Location: Built-in USB
Host Controller Driver: AppleUSBHCI
PCI Device ID: 0x27c9
PCI Revision ID: 0x0002
PCI Vendor ID: 0x8086
Bus Number: 0x3d

AirPort:

Software Versions:

Menu Extra: 6.2.2 (622.2)
configd plug-in: 6.2.5 (625.6)
System Profiler: 6.0.1 (601.1)
Network Preference: 6.2.2 (622.2)
AirPort Utility: 5.5.3 (553.20)
IO80211 Family: 3.2 (320.1)

Interfaces:**en1:**

Card Type: AirPort Extreme (0x168C, 0x86)
Firmware Version: Atheros 5424: 2.1.14.6
Locale: FCC
Country Code: US
Supported PHY Modes: 802.11 a/b/g
Supported Channels: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 36,
40, 44, 48, 52, 56, 60, 64, 149,
153, 157, 161, 165
Status: Connected
Current Network Information:

Firewall:**Firewall Settings:**

Mode: Allow all incoming connections
Firewall Logging: No
Stealth Mode: No

Volumes:**net:**

Type: autofs
Mount Point: /net
Mounted From: map -hosts
Automounted: Yes

home:

Type: autofs
Mount Point: /home
Mounted From: map auto_home
Automounted: Yes

Applications:**Microsoft Excel:**

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Microsoft Excel.app

Microsoft Word:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Microsoft Word.app

Microsoft Upload Center:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Upload Center.app

Microsoft Office Reminders:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Office Reminders.app

Microsoft Database Utility:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM

Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Database Utility.app

Microsoft Database Daemon:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Database Daemon.app

Microsoft Clip Gallery:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Clip Gallery.app

Microsoft Chart Converter:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Chart Converter.app

Alerts Daemon:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Alerts

Daemon.app

Microsoft Language Register:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Additional Tools/Microsoft Language Register/Microsoft Language Register.app

Microsoft Office Setup Assistant:

Version: 14.0.0
Last Modified: 3/8/12 9:04 AM
Kind: Intel
64-Bit (Intel): No
Get Info String: 14.0.0 (100825), © 2010 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Office Setup Assistant.app

Microsoft Query:

Version: 10.0.0
Last Modified: 8/25/10 12:00 AM
Kind: PowerPC
64-Bit (Intel): No
Get Info String: 10.0.0 (1204) Copyright 1995–2002 Microsoft Corporation. All rights reserved.
Location: /Applications/Microsoft Office 2011/Office/Microsoft Query

Developer:

Developer Information:

Version: 3.2 (10M2518)
Location: /Developer
Applications:
Xcode: 3.2.6 (1761)
Interface Builder: 3.2.6 (851)
Instruments: 2.7 (3017)

Dashcode: 3.0.2 (333)
SDKs:
 Mac OS X:
 10.5: (9L31a)
 10.6: (10M2518)
 iPhone OS:
 4.3: (8F191m)
 iPhone Simulator:
 3.2: (7W367a)
 4.0: (8A400)
 4.1: (8B117)
 4.2: (8C134)
 4.3: (8F192)